

Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

1. (Currently amended) A toy comprising:

 a first component in the form of a first portion of a vehicle;

 a second component; [[and]]

 a magnetic portion affixed to one of the first component and the second component, wherein the magnetic portion is adapted to magnetically couple to the other of the first component and the second component; **and**

an alignment assembly adapted to align the first and second components to a predetermined position relative to one another, wherein the alignment assembly includes a post that protrudes from one of the first and second components and an aperture in the other of the first and second components.

2. (Original) The toy of claim 1, wherein the first component includes a ferrous material.

3. (Original) The toy of claim 1, wherein the toy further includes at least a third component adapted to represent a second portion of a vehicle.

4. (Original) The toy of claim 3, wherein the second portion of the vehicle is one of a spoiler, a

sideguard, a grill, a muffler, and a light.

5. (Cancelled)

6. (Cancelled)

7. (Original) The toy of claim 1, wherein the toy further includes a rotatable element.

8. (Original) The toy of claim 7, wherein the toy includes at least two components adapted to selectively couple with one another such that the rotatable element is confined therebetween.

9. (Original) The toy of claim 8, further comprising at least one support configured to restrict translation of the rotatable element.

10. (Original) The toy of claim 7, wherein the rotatable element is the second component.

11. (Currently amended) A toy comprising:

a plurality of components including:

a first component adapted to rotate; and

a second component and a third component adapted to magnetically couple with one another and operatively retain the first component between the second and third components, **wherein the first component is an axle adapted to support at least one wheel.**

12. (Original) The toy of claim 11, wherein the first component is magnetically coupled to at least one of the second and third components.

13. (Original) The toy of claim 11, wherein at least one of the second and third components has at least one support configured to restrict translation of the first component.

14. (Original) The toy of claim 11, wherein at least one of the plurality of components is adapted to represent a portion of a vehicle.

15. (Original) The toy of claim 11, further comprising an alignment assembly adapted to align at least two of the plurality of components relative to one another.

16. (Cancelled)

17. (Original) The vehicle of claim 11, wherein at least one of the plurality of components includes a ferrous material.

18. (Currently amended) A toy vehicle comprising:

a first component in the form of a first portion of a vehicle;

a second component in the form of a second component of a vehicle;

a third rotatable component, wherein the first component may be selectively magnetically attached to the second component, securing the third component in a rotatable configuration, and the third rotatable component represents a wheel and axle assembly; and

at least one support mounted to one of the first and second components and adapted to restrict translation of the third rotatable component, **wherein the at least one support is a plate adapted to support the third rotatable component a distance away from the first and second components.**

19. (Cancelled)

20. (Currently amended) The toy vehicle of claim ~~[[19]]~~ **18**, wherein the plate has at least one groove adapted to receive the third rotatable component.

21. (New) The toy of claim 14, wherein the at least one of the plurality of components is one of a spoiler, a sideguard, a grill, a muffler, and a light.

22. (New) The toy of claim 15, wherein the alignment assembly includes a post that protrudes from one of the plurality of components and an aperture in another of the plurality of components.

23. (New) The toy of claim 18, further comprising an alignment assembly adapted to align the first and second components relative to one another.

24. (New) The toy vehicle of claim 23, wherein the alignment assembly includes a post that protrudes from one of the first and second components and an aperture in the other of the first and second components.